

## **AMENDMENTS**

### **In the Claims**

The following is a marked-up version of the claims with the language that is underlined ("    ") being added and the language that contains strikethrough ("") being deleted:

1. (Currently Amended) A communication method comprising:  
~~receiving~~ receiving, by a computing device, an instant messaging (IM) message from a first user to a second user;  
waiting a predefined time interval prior to prompting the first user for permission;  
prompting the first user for permission to convey the IM message to a third user;  
determining whether the second user is currently engaged in an IM chat session with a fourth user;  
indicating to the first user, in response to determining that the second user is engaged in an IM chat session with a fourth user, that the second user is engaged in an IM chat session with the fourth user;  
prompting the first user to join the IM chat session;  
in response to receiving an indication that the first user wants to join the IM chat session, prompting the second user and the fourth user to allow the first user to join the IM chat session;  
and  
in response to receiving an indication that the second user and the fourth user want to allow the first user to join the IM chat session, facilitating joining of the first user to the IM chat session.

2. (Previously Presented) The method of claim 1, further comprising:  
receiving an input from the first user, the input being indicative of the permission to  
convey the IM message to the third user; and  
conveying the IM message to the third user in response to receiving the input.

3. (Previously Presented) The method of claim 2, further comprising:  
indicating to the first user that the IM message is being conveyed to the third user.

4. (Previously Presented) The method of claim 2, further comprising:  
indicating to the third user that the IM message originated from the first user.

5 – 6. (Canceled)

7. (Previously Presented) The method of claim 6, further comprising:  
indicating to the first user, in the absence of a response from the second user during the  
predefined time interval, that the second user is unavailable.

8. (Previously Presented) The method of claim 6, wherein requesting permission  
from the first user is responsive to an absence of an input from the second user during the  
predefined time interval.

9. (Currently Amended) A communication method comprising:
- ~~receiving~~ receiving, by a computing device, an instant messaging (IM) message from a first user to a second user;
- waiting a predefined time interval prior to prompting the first user for permission;
- prompting the first user for permission to convey the IM message to a third user;
- conveying the IM message to a third user;
- determining whether the second user is currently engaged in an IM chat session with a fourth user;
- indicating to the first user, in response to determining that the second user is engaged in an IM chat session with a fourth user, that the second user is engaged in an IM chat session with the fourth user;
- prompting the first user to join the IM chat session;
- in response to receiving an indication that the first user wants to join the IM chat session, prompting the second user and the fourth user to allow the first user to join the IM chat session;
- and
- in response to receiving an indication that the second user and the fourth user want to allow the first user to join the IM chat session, facilitating joining of the first user to the IM chat session.

10. (Previously Presented) The method of claim 9, further comprising:
- indicating to the first user that the IM message is being conveyed to the third user.

11. (Previously Presented) The method of claim 9, further comprising:
- indicating to the third user that the IM message originated from the first user.

12. (Canceled)

13. (Previously Presented) The method of claim 9, further comprising:

further indicating to the first user, in response to determining that the first recipient is engaged in an IM chat session with a fourth user, that an IM chat session is being established between the first user and the third user.

14. (Currently Amended) A communication system comprising:

a memory component that stores at least the following:

receive receiving logic configured to receive an instant messaging (IM) message from a first user to a second user;

waiting logic configured to wait a predefined time interval prior to prompting the first user for permission;

first prompting logic configured to prompt the first user for permission to convey the IM message to a third user;

determining logic configured to determine whether the second user is currently engaged in an IM chat session with a fourth user;

indicating logic configured to indicate to the first user, in response to determining that the second user is engaged in an IM chat session with a fourth user, that the second user is engaged in an IM chat session with the fourth user;

second prompting logic configured to prompt the first user to join the IM chat session;

third prompting logic configured to, in response to receiving an indication that the first user wants to join the IM chat session, prompting the second user and the fourth user to allow the first user to join the IM chat session; and

joining logic configured to, in response to receiving an indication that the second user and the fourth user want to allow the first user to join the IM chat session, facilitating joining of the first user to the IM chat session.

15. (Currently Amended) A communication system comprising:

means for receiving an instant messaging (IM) message from a first user to a second user;

means for waiting a predefined time interval prior to prompting the first user for permission;

means for prompting the first user for permission to convey the IM message to a third user;

means for determining whether the second user is currently engaged in an IM chat session with a fourth user;

means for indicating to the first user, in response to determining that the second user is engaged in an IM chat session with a fourth user, that the second user is engaged in an IM chat session with the fourth user;

means for prompting the first user to join the IM chat session;

means for, in response to receiving an indication that the first user wants to join the IM chat session, prompting the second user and the fourth user to allow the first user to join the IM chat session; and

means for, in response to receiving an indication that the second user and the fourth user want to allow the first user to join the IM chat session, facilitating joining of the first user to the IM chat session.

16. (Currently Amended) A computer-readable medium that stores a program that, when executed by a computer, causes the computer to perform at least the following:

- receive an instant messaging (IM) message from a first user to a second user;
- wait a predefined time interval prior to prompting the first user for permission;
- prompt the first user for permission to convey the IM message to a third user;
- determine whether the second user is currently engaged in an IM chat session with a fourth user; and

indicate to the first user, in response to determining that the second user is engaged in an IM chat session with a fourth user, that the second user is engaged in an IM chat session with the fourth user;

prompt the first user to join the IM chat session;

in response to receiving an indication that the first user wants to join the IM chat session, prompt the second user and the fourth user to allow the first user to join the IM chat session; and

in response to receiving an indication that the second user and the fourth user want to allow the first user to join the IM chat session, facilitate joining of the first user to the IM chat session.

17. (Previously Presented) The computer-readable medium of claim 16, the program causing the computer to additionally perform at least the following:

receive an input from the first user, the input being indicative of the permission to convey the IM message to the fourth user; and

convey the IM message to the third user in response to receiving input from the first user.

18. (Previously Presented) The computer-readable medium of claim 17, the program causing the computer to additionally perform at least the following:

indicate to the first user that the IM message is being conveyed to the third user.

19. (Previously Presented) The computer-readable medium of claim 17, the program causing the computer to additionally perform at least the following:

indicate to the third user that the IM message originated from the first user.

20 – 21. (Canceled)

22. (Currently Amended) The computer-readable medium of ~~claim 24~~, claim 16, the program causing the computer to additionally perform at least the following:

indicate to the first user, in the absence of a response from the second user during the predefined time interval, that the second user is unavailable.



23. (Currently Amended) A communication system comprising:

a memory component that stores at least the following:

receive receiving logic configured to receive an instant messaging (IM) message from a first user to a second user;

waiting logic configured to wait a predefined time interval prior to prompting the first user for permission;

prompting logic configured to prompt the first user for permission to convey the IM message to a third user;

conveying logic configured to convey the IM message to a third user;

determining logic configured to determine whether the second user is currently engaged in an IM chat session with a fourth user;

indicating logic configured to indicate to the first user, in response to determining that the second user is engaged in an IM chat session with a fourth user, that the second user is engaged in an IM chat session with the fourth user;

first prompting logic configured to prompt the first user to join the IM chat session;

second prompting logic configured to, in response to receiving an indication that the first user wants to join the IM chat session, prompt the second user and the fourth user to allow the first user to join the IM chat session; and

joining logic configured to, in response to receiving an indication that the second user and the fourth user want to allow the first user to join the IM chat session, facilitate joining of the first user to the IM chat session.

24. (Currently Amended) A communication system comprising:

means for receiving an instant messaging (IM) message from a first user to a second user;

means for waiting a predefined time interval prior to prompting the first user for permission;

means for prompting the first user for permission to convey the IM message to a third user;

means for conveying the IM message to a third user;

means for determining whether the second user is currently engaged in an IM chat session with a fourth user;

means for indicating to the first user, in response to determining that the second user is engaged in an IM chat session with a fourth user, that the second user is engaged in an IM chat session with the fourth user;

means for prompting the first user to join the IM chat session;

means for, in response to receiving an indication that the first user wants to join the IM chat session, prompting the second user and the fourth user to allow the first user to join the IM chat session; and

means for, in response to receiving an indication that the second user and the fourth user want to allow the first user to join the IM chat session, facilitating joining of the first user to the IM chat session.

25. (Currently Amended) A computer-readable medium that includes a computer program that, when executed by a computer, causes the computer to perform at least the following:

- receive an instant messaging (IM) message from a first user to a second user;
- wait a predefined time interval prior to prompting the first user for permission;
- prompt the first user for permission to convey the IM message to a third user;
- convey the IM message to a third user;
- determine whether the second user is currently engaged in an IM chat session with a fourth user; and
- indicate to the first user, in response to determining that the second user is engaged in an IM chat session with a fourth user, that the second user is engaged in an IM chat session with the fourth user;
- prompt the first user to join the IM chat session;
- in response to receiving an indication that the first user wants to join the IM chat session, prompt the second user to allow the first user to join the IM chat session; and
- in response to receiving an indication that the second user wants to allow the first user to join the IM chat session, facilitate joining of the first user to the IM chat session.

26. (Previously Presented) The computer-readable medium of claim 25, the program causing the computer to additionally perform at least the following:

- indicate to the first user that the IM message is being conveyed to the third user.

27. (Previously Presented) The computer-readable medium of claim 25, the program causing the computer to additionally perform at least the following:

- indicate to the third user that the IM message originated from the first user.

28. (Canceled)

29. (Previously Presented) The computer-readable medium of claim 25, the program causing the computer to additionally perform at least the following:

further indicate to the first user, in response to determining that the second user is engaged in an IM chat session with a fourth user that an IM chat session is being established between the first sender and the third user.

30. (Previously Presented) The computer readable medium of claim 25, further comprising prompting the fourth user to allow the first user to join the IM chat session.